



# 138- GREIGE Fiber Glass FABRIC

## Product Data

### STYLE 138-GREIGE

### US System

### SI Units

<b>Type of Yarns</b>	<b>Warp Yarn:</b>	ECE 225 1/2	
	<b>Fill Yarn:</b>	ECE 2251/2	
<b>Fabric Weight, Dry</b>		6.53 oz/yd <sup>2</sup>	221.4 g/m <sup>2</sup>
<b>Weave Style</b>		4H SATIN	

### CONSTRUCTION

<b>Nominal Construction</b>	<b>Warp Count:</b>	65/in(+/-2)	25.6/cm
	<b>Fill Count:</b>	60/in(+/-2)	23.6/cm
<b>Fabric Thickness</b>		6.6 mils	0.17 mm
<b>Fabric Breaking Strength*</b>	<b>Warp</b>	270 lbf/in	
	<b>FILLING</b>	260 lbf/in	

### Markets

### Applications

### IMPORTANT

*\*The values represent limited tensile data and will be updated via statistically sound data analysis methods.*

*All information is believed to be accurate but is given without acceptance of liability. All values have been generated from limited data. The values listed for weight, thickness, and breaking strengths are typical greige values, unless otherwise noted. Users should make their own assessment of the suitability of any product for the purpose required. All sales are made subject to our standard terms of sales which include limitations on liability and other important terms. The fabric style listed may not be available from inventory, and minimum order quantities may apply.*

**FOR FURTHER INFORMATION, PLEASE CONTACT US**



2200 S. Murray Ave.

Anderson, SC 29622

USA

Phone: 864-225-7028